

Bibliography

- [Adams, 2002] Adams, C. C. (2002). Waist size for cusps in hyperbolic 3-manifolds. *Topology*, 41(2):257–270. [190]
- [Agol, 2000] Agol, I. (2000). Bounds on exceptional Dehn filling. *Geom. Topol.*, 4:431–449. [129, 130]
- [Ahlfors, 1978] Ahlfors, L. V. (1978). *Complex analysis*. McGraw-Hill Book Co., New York, third edition. An introduction to the theory of analytic functions of one complex variable, International Series in Pure and Applied Mathematics. [15]
- [Akiyoshi et al., 2007] Akiyoshi, H., Sakuma, M., Wada, M., and Yamashita, Y. (2007). *Punctured torus groups and 2-bridge knot groups. I*, volume 1909 of *Lecture Notes in Mathematics*. Springer, Berlin. [187]
- [Anderson, 2005] Anderson, J. W. (2005). *Hyperbolic geometry*. Springer Undergraduate Mathematics Series. Springer-Verlag London Ltd., London, second edition. [11]
- [Benedetti and Petronio, 1992] Benedetti, R. and Petronio, C. (1992). *Lectures on hyperbolic geometry*. Universitext. Springer-Verlag, Berlin. [81, 87, 94, 95]
- [Bonahon, 1986] Bonahon, F. (1986). Bouts des variétés hyperboliques de dimension 3. *Ann. of Math. (2)*, 124(1):71–158. [186]
- [Böröczky, 1978] Böröczky, K. (1978). Packing of spheres in spaces of constant curvature. *Acta Math. Acad. Sci. Hungar.*, 32(3–4):243–261. [131]
- [Bowditch, 1993] Bowditch, B. H. (1993). Geometrical finiteness for hyperbolic groups. *J. Funct. Anal.*, 113(2):245–317. [192]
- [Burde and Zieschang, 1985] Burde, G. and Zieschang, H. (1985). *Knots*, volume 5 of *de Gruyter Studies in Mathematics*. Walter de Gruyter & Co., Berlin. [155]
- [Canary et al., 2006] Canary, R. D., Epstein, D. B. A., and Green, P. L. (2006). Notes on notes of Thurston. In *Fundamentals of hyperbolic geometry: selected expositions*, volume 328 of *London Math. Soc. Lecture Note Ser.*, pages 1–115. Cambridge Univ. Press, Cambridge. With a new foreword by Canary. [95, 97]
- [Chabauty, 1950] Chabauty, C. (1950). Limite d’ensembles et géométrie des nombres. *Bull. Soc. Math. France*, 78:143–151. [97]
- [Chan, 2002] Chan, K. (2002). Constructing hyperbolic 3-manifolds from ideal triangulations. Honours thesis, University of Melbourne. [145]
- [Choi, 2004] Choi, Y.-E. (2004). Positively oriented ideal triangulations on hyperbolic three-manifolds. *Topology*, 43(6):1345–1371. [46]
- [Conway, 1970] Conway, J. H. (1970). An enumeration of knots and links, and some of their algebraic properties. In *Computational Problems in Abstract Algebra (Proc. Conf., Oxford, 1967)*, pages 329–358. Pergamon, Oxford. [157]
- [Cooper et al., 1994] Cooper, D., Culler, M., Gillet, H., Long, D. D., and Shalen, P. B. (1994). Plane curves associated to character varieties of 3-manifolds. *Invent. Math.*, 118(1):47–84. [205, 206]
- [Cooper et al., 2000] Cooper, D., Hodgson, C. D., and Kerckhoff, S. P. (2000). *Three-dimensional orbifolds and cone-manifolds*, volume 5 of *MSJ Memoirs*. Mathematical Society of Japan, Tokyo. With a postface by Sadayoshi Kojima. [89, 95]
- [Cooper and Long, 1996] Cooper, D. and Long, D. D. (1996). Remarks on the A -polynomial of a knot. *J. Knot Theory Ramifications*, 5(5):609–628. [205]

- [Coulson et al., 2000] Coulson, D., Goodman, O. A., Hodgson, C. D., and Neumann, W. D. (2000). Computing arithmetic invariants of 3-manifolds. *Experiment. Math.*, 9(1):127–152. [57, 113, 114]
- [Culler et al., 2016] Culler, M., Dunfield, N. M., Goerner, M., and Weeks, J. R. (2016). SnapPy, a computer program for studying the geometry and topology of 3-manifolds. Available at <http://snappy.computop.org>. [56, 59, 90, 113, 114, 164, 188]
- [Culler and Shalen, 1983] Culler, M. and Shalen, P. B. (1983). Varieties of group representations and splittings of 3-manifolds. *Ann. of Math. (2)*, 117(1):109–146. [197, 201, 204]
- [Culler and Shalen, 2012] Culler, M. and Shalen, P. B. (2012). Margulis numbers for Haken manifolds. *Israel J. Math.*, 190:445–475. [72]
- [do Carmo, 1992] do Carmo, M. P. (1992). *Riemannian geometry*. Mathematics: Theory & Applications. Birkhäuser Boston Inc., Boston, MA. Translated from the second Portuguese edition by Francis Flaherty. [11]
- [Epstein and Penner, 1988] Epstein, D. B. A. and Penner, R. C. (1988). Euclidean decompositions of noncompact hyperbolic manifolds. *J. Differential Geom.*, 27(1):67–80. [46, 187]
- [Finlinson and Purcell, 2016] Finlinson, K. and Purcell, J. S. (2016). Volumes of Montesinos links. *Pacific J. Math.*, 282(1):63–105. [156]
- [Futer and Guéritaud, 2011] Futer, D. and Guéritaud, F. (2011). From angled triangulations to hyperbolic structures. In *Interactions between hyperbolic geometry, quantum topology and number theory*, volume 541 of *Contemp. Math.*, pages 159–182. Amer. Math. Soc., Providence, RI. [145, 146]
- [Futer et al., 2008] Futer, D., Kalfagianni, E., and Purcell, J. S. (2008). Dehn filling, volume, and the Jones polynomial. *J. Differential Geom.*, 78(3):429–464. [95, 109]
- [Futer and Purcell, 2007] Futer, D. and Purcell, J. S. (2007). Links with no exceptional surgeries. *Comment. Math. Helv.*, 82(3):629–664. [109]
- [Futer and Schleimer, 2014] Futer, D. and Schleimer, S. (2014). Cusp geometry of fibered 3-manifolds. *Amer. J. Math.*, 136(2):309–356. [130]
- [Gabai et al., 2001] Gabai, D., Meyerhoff, G. R., and Milley, P. (2001). Volumes of tubes in hyperbolic 3-manifolds. *J. Differential Geom.*, 57(1):23–46. [79]
- [González-Acuña and Montesinos-Amilibia, 1993] González-Acuña, F. and Montesinos-Amilibia, J. M. (1993). On the character variety of group representations in $SL(2, \mathbf{C})$ and $PSL(2, \mathbf{C})$. *Math. Z.*, 214(4):627–652. [204]
- [Gordon and Luecke, 1989] Gordon, C. M. and Luecke, J. (1989). Knots are determined by their complements. *J. Amer. Math. Soc.*, 2(2):371–415. [iv, 81]
- [Gromov, 1999] Gromov, M. (1999). *Metric structures for Riemannian and non-Riemannian spaces*, volume 152 of *Progress in Mathematics*. Birkhäuser Boston, Inc., Boston, MA. Based on the 1981 French original [MR0682063 (85e:53051)], With appendices by M. Katz, P. Pansu and S. Semmes, Translated from the French by Sean Michael Bates. [95]
- [Guéritaud, 2006] Guéritaud, F. (2006). On canonical triangulations of once-punctured torus bundles and two-bridge link complements. *Geom. Topol.*, 10:1239–1284. With an appendix by David Futer. [157, 164, 166, 174]
- [Haken, 1961] Haken, W. (1961). Theorie der Normalflächen. *Acta Math.*, 105:245–375. [121]
- [Hatcher, 2002] Hatcher, A. (2002). *Algebraic topology*. Cambridge University Press, Cambridge. [31]
- [Hatcher, 2007] Hatcher, A. (2007). Notes on basic 3-manifold topology. available at <http://www.math.cornell.edu/~hatcher>. [115]
- [Hempel, 2004] Hempel, J. (2004). *3-manifolds*. AMS Chelsea Publishing, Providence, RI. Reprint of the 1976 original. [115]

- [Hodgson, 1986] Hodgson, C. D. (1986). *Degeneration and regeneration of geometric structures on 3-manifolds*. PhD thesis, Princeton Univ. [89]
- [Hodgson and Kerckhoff, 2005] Hodgson, C. D. and Kerckhoff, S. P. (2005). Universal bounds for hyperbolic Dehn surgery. *Ann. of Math. (2)*, 162(1):367–421. [87]
- [Hoffman et al., 2016] Hoffman, N., Ichihara, K., Kashiwagi, M., Masai, H., Oishi, S., and Takayasu, A. (2016). Verified computations for hyperbolic 3-manifolds. *Exp. Math.*, 25(1):66–78. [57]
- [Hoste and Shanahan, 2004] Hoste, J. and Shanahan, P. D. (2004). A formula for the A -polynomial of twist knots. *J. Knot Theory Ramifications*, 13(2):193–209. [206]
- [Hoste et al., 1998] Hoste, J., Thistlethwaite, M., and Weeks, J. (1998). The first 1,701,936 knots. *Math. Intelligencer*, 20(4):33–48. [iv]
- [Jørgensen, 1976] Jørgensen, T. (1976). On discrete groups of Möbius transformations. *Amer. J. Math.*, 98(3):739–749. [70]
- [Jørgensen and Klein, 1982] Jørgensen, T. and Klein, P. (1982). Algebraic convergence of finitely generated Kleinian groups. *Quart. J. Math. Oxford Ser. (2)*, 33(131):325–332. [70]
- [Kapovich, 2001] Kapovich, M. (2001). *Hyperbolic manifolds and discrete groups*, volume 183 of *Progress in Mathematics*. Birkhäuser Boston, Inc., Boston, MA. [120]
- [Kawauchi, 1996] Kawauchi, A. (1996). *A survey of knot theory*. Birkhäuser Verlag, Basel. Translated and revised from the 1990 Japanese original by the author. [200]
- [Každan and Margulis, 1968] Každan, D. A. and Margulis, G. A. (1968). A proof of Selberg’s hypothesis. *Mat. Sb. (N.S.)*, 75 (117):163–168. [72]
- [Kneser, 1929] Kneser, H. (1929). Geschlossene Flächen in dreidimensionalen Mannigfaltigkeiten. *Jahresbericht der Dent. Math. Verein.*, 28:248–260. [121]
- [Koebe, 1936] Koebe, P. (1936). Kontaktprobleme der konformen abbildung. *Ber. Sächs. Akad. Wiss. Leipzig, Math.-Phys. Kl.*, 88:141–164. [111]
- [Lackenby, 2000] Lackenby, M. (2000). Word hyperbolic Dehn surgery. *Invent. Math.*, 140(2):243–282. [129]
- [Lackenby, 2004] Lackenby, M. (2004). The volume of hyperbolic alternating link complements. *Proc. London Math. Soc. (3)*, 88(1):204–224. With an appendix by Ian Agol and Dylan Thurston. [109]
- [Lackenby and Purcell, 2014] Lackenby, M. and Purcell, J. S. (2014). Geodesics and compression bodies. *Exp. Math.*, 23(2):218–240. [187]
- [Lickorish, 1962] Lickorish, W. B. R. (1962). A representation of orientable combinatorial 3-manifolds. *Ann. of Math. (2)*, 76:531–540. [84]
- [Luo et al., 2008] Luo, F., Schleimer, S., and Tillmann, S. (2008). Geodesic ideal triangulations exist virtually. *Proc. Amer. Math. Soc.*, 136(7):2625–2630. [154]
- [Macasieb et al., 2011] Macasieb, M. L., Petersen, K. L., and van Luijk, R. M. (2011). On character varieties of two-bridge knot groups. *Proc. Lond. Math. Soc. (3)*, 103(3):473–507. [205, 206]
- [Marden, 2007] Marden, A. (2007). *Outer circles*. Cambridge University Press, Cambridge. An introduction to hyperbolic 3-manifolds. [11, 19, 61, 66, 70, 72, 96]
- [Martelli, 2016] Martelli, B. (2016). An introduction to geometric topology. [87]
- [Mathews, 2003] Mathews, D. (2003). Mahler’s unfinished symphony: etudes in knots, algebra and geometry. Honours thesis, University of Melbourne. [205]
- [Mathews, 2014] Mathews, D. V. (2014). An explicit formula for the A -polynomial of twist knots. *J. Knot Theory Ramifications*, 23(9):1450044, 5. [207]
- [Menasco, 1984] Menasco, W. (1984). Closed incompressible surfaces in alternating knot and link complements. *Topology*, 23(1):37–44. [170, 175, 180]
- [Menasco, 1983] Menasco, W. W. (1983). Polyhedra representation of link complements. In *Low-dimensional topology (San Francisco, Calif., 1981)*, volume 20 of *Contemp. Math.*, pages 305–325. Amer. Math. Soc., Providence, RI. [2]

- [Meyerhoff, 1987] Meyerhoff, R. (1987). A lower bound for the volume of hyperbolic 3-manifolds. *Canad. J. Math.*, 39(5):1038–1056. [72]
- [Milnor, 1982] Milnor, J. (1982). Hyperbolic geometry: the first 150 years. *Bull. Amer. Math. Soc. (N.S.)*, 6(1):9–24. [136]
- [Milnor, 1994] Milnor, J. (1994). *Collected papers. Vol. 1*. Publish or Perish, Inc., Houston, TX. Geometry. [151]
- [Moser, 2009] Moser, H. (2009). Proving a manifold to be hyperbolic once it has been approximated to be so. *Algebr. Geom. Topol.*, 9(1):103–133. [57]
- [Mostow, 1973] Mostow, G. D. (1973). *Strong rigidity of locally symmetric spaces*. Princeton University Press, Princeton, N.J. Annals of Mathematics Studies, No. 78. [iv, 81]
- [Munkres, 2000] Munkres, J. R. (2000). *Topology, Second Edition*. Prentice Hall, Upper Saddle River, NJ. [31]
- [Murasugi, 1996] Murasugi, K. (1996). *Knot theory and its applications*. Birkhäuser Boston Inc., Boston, MA. Translated from the 1993 Japanese original by Bohdan Kurpita. [155]
- [Myers, 1993] Myers, R. (1993). Excellent 1-manifolds in compact 3-manifolds. *Topology Appl.*, 49(2):115–127. [88]
- [Neumann and Zagier, 1985] Neumann, W. D. and Zagier, D. (1985). Volumes of hyperbolic three-manifolds. *Topology*, 24(3):307–332. [87, 145]
- [Papakyriakopoulos, 1957] Papakyriakopoulos, C. D. (1957). On Dehn’s lemma and the asphericity of knots. *Ann. of Math. (2)*, 66:1–26. [133]
- [Petersen, 2015] Petersen, K. L. (2015). A-polynomials of a family of two-bridge knots. *New York J. Math.*, 21:847–881. [207]
- [Petersen and Tran, 2015] Petersen, K. L. and Tran, A. T. (2015). Character varieties of double twist links. *Algebr. Geom. Topol.*, 15(6):3569–3598. [205]
- [Petronio and Porti, 2000] Petronio, C. and Porti, J. (2000). Negatively oriented ideal triangulations and a proof of Thurston’s hyperbolic Dehn filling theorem. *Expo. Math.*, 18(1):1–35. [87]
- [Prasad, 1973] Prasad, G. (1973). Strong rigidity of \mathbf{Q} -rank 1 lattices. *Invent. Math.*, 21:255–286. [iv, 81]
- [Purcell, 2007] Purcell, J. S. (2007). Volumes of highly twisted knots and links. *Algebr. Geom. Topol.*, 7:93–108. [109]
- [Purcell, 2008] Purcell, J. S. (2008). Cusp shapes under cone deformation. *J. Differential Geom.*, 80(3):453–500. [109]
- [Purcell, 2011] Purcell, J. S. (2011). An introduction to fully augmented links. In *Interactions between hyperbolic geometry, quantum topology and number theory*, volume 541 of *Contemp. Math.*, pages 205–220. Amer. Math. Soc., Providence, RI. [109]
- [Ratcliffe, 2006] Ratcliffe, J. G. (2006). *Foundations of hyperbolic manifolds*, volume 149 of *Graduate Texts in Mathematics*. Springer, New York, second edition. [11, 81]
- [Riley, 1975] Riley, R. (1975). A quadratic parabolic group. *Math. Proc. Cambridge Philos. Soc.*, 77:281–288. [iii, 63, 77]
- [Rivin, 1994] Rivin, I. (1994). Euclidean structures on simplicial surfaces and hyperbolic volume. *Ann. of Math. (2)*, 139(3):553–580. [145, 151]
- [Rolfsen, 1976] Rolfsen, D. (1976). *Knots and links*. Publish or Perish Inc., Berkeley, Calif. Mathematics Lecture Series, No. 7. [84]
- [Ruberman, 1987] Ruberman, D. (1987). Mutation and volumes of knots in S^3 . *Invent. Math.*, 90(1):189–215. [195]
- [Sakuma and Weeks, 1995] Sakuma, M. and Weeks, J. (1995). Examples of canonical decompositions of hyperbolic link complements. *Japan. J. Math. (N.S.)*, 21(2):393–439. [157]
- [Schläfli, 1950] Schläfli, L. (1950). *Gesammelte mathematische Abhandlungen. Band I*. Verlag Birkhäuser, Basel. [140]

- [Schläfli, 1953] Schläfli, L. (1953). *Gesammelte mathematische Abhandlungen. Band II*. Verlag Birkhäuser, Basel. [140]
- [Schleimer and Segerman, 2009] Schleimer, S. and Segerman, H. (2009). Dehn surgery images. Available at website https://math.okstate.edu/people/segerman/dehn_surgery_images.html. [91, 93]
- [Schreier, 1923] Schreier, O. (1923). über die gruppen $a^a b^b = 1$. *Abh. Math. Sem. Hamburg*, 3:167–169. [120]
- [Schubert, 1956] Schubert, H. (1956). Knoten mit zwei Brücken. *Math. Z.*, 65:133–170. [155, 200]
- [Schubert, 1961] Schubert, H. (1961). Bestimmung der primfaktorzerlegung von verkettungen. *Mathematische Zeitschrift*, 76(1):116–148. [121]
- [Schultens, 2014] Schultens, J. (2014). *Introduction to 3-manifolds*, volume 151 of *Graduate Studies in Mathematics*. American Mathematical Society, Providence, RI. [115]
- [Scott, 1983] Scott, P. (1983). The geometries of 3-manifolds. *Bull. London Math. Soc.*, 15(5):401–487. [iii]
- [Shalen, 2002] Shalen, P. B. (2002). Representations of 3-manifold groups. In *Handbook of geometric topology*, pages 955–1044. North-Holland, Amsterdam. [201]
- [Shalen, 2011] Shalen, P. B. (2011). A generic Margulis number for hyperbolic 3-manifolds. In *Topology and geometry in dimension three*, volume 560 of *Contemp. Math.*, pages 103–109. Amer. Math. Soc., Providence, RI. [72]
- [Silver, 2006] Silver, D. (2006). Knot theory’s odd origins. *American Scientist*, 94(2):158–165. [iii]
- [Simon, 1973] Simon, J. (1973). An algebraic classification of knots in S^3 . *Ann. of Math. (2)*, 97:1–13. [180]
- [Sundberg and Thistlethwaite, 1998] Sundberg, C. and Thistlethwaite, M. (1998). The rate of growth of the number of prime alternating links and tangles. *Pacific J. Math.*, 182(2):329–358. [175]
- [Thistlethwaite, 1998] Thistlethwaite, M. (1998). On the structure and scarcity of alternating links and tangles. *J. Knot Theory Ramifications*, 7(7):981–1004. [175]
- [Thurston, 1979] Thurston, W. P. (1979). *The Geometry and Topology of Three-Manifolds*. Princeton Univ. Math. Dept. Notes. Available at <http://www.msri.org/communications/books/gt3m>. [2, 21, 50, 58, 68, 87, 89, 94, 97, 99, 136, 186]
- [Thurston, 1982] Thurston, W. P. (1982). Three-dimensional manifolds, Kleinian groups and hyperbolic geometry. *Bull. Amer. Math. Soc. (N.S.)*, 6(3):357–381. [iii, 120]
- [Thurston, 1997] Thurston, W. P. (1997). *Three-dimensional geometry and topology. Vol. 1*, volume 35 of *Princeton Mathematical Series*. Princeton University Press, Princeton, NJ. Edited by Silvio Levy. [2, 11, 29, 39, 40]
- [Wallace, 1960] Wallace, A. H. (1960). Modifications and cobounding manifolds. *Canad. J. Math.*, 12:503–528. [84]
- [Wang, 1969] Wang, H.-c. (1969). Discrete nilpotent subgroups of Lie groups. *J. Differential Geometry*, 3:481–492. [72]
- [Weeks, 2005] Weeks, J. (2005). Computation of hyperbolic structures in knot theory. In *Handbook of knot theory*, pages 461–480. Elsevier B. V., Amsterdam. [56, 72]
- [Weeks, 1985] Weeks, J. R. (1985). *Hyperbolic structures on three-manifolds*. PhD thesis, Princeton University. [43, 56]
- [Zagier, 2007] Zagier, D. (2007). The dilogarithm function. In *Frontiers in number theory, physics, and geometry. II*, pages 3–65. Springer, Berlin. [136]

Index

- (G, X) -structure, 25
- A -polynomial, 206
- $I(g)$, 191
- π_1 -injective, 117
- $d(v)$, 34
- 2-bridge knot or link, 157
- 6-theorem, 129
- 6-theorem, weaker, 129

- abelian representation, 203
- accidental surface, 185
- Adams horoball, 189
- affine algebraic set, 202
 - morphism, 202
 - reducible, irreducible, 203
- affine torus, 27
- affine transformation, 27
- affine variety, 203
- algebraic convergence, 96
- alternating, 8
- alternating knot or link, 175
- ambient isotopic, 1
- ambient isotopy, 115
- analytic continuation, 31
- anannular, 119, 120, 180
- angle structure, 123, 144
- angled polyhedral structure, 124
- arc length, 12
- arithmetic, 113
- atoroidal, 119, 120
- augmented link, 108
 - fully augmented, 108
- augmenting link diagram, 108

- bigon, 10
- bilipschitz, 95
- bilipschitz constant, 95
- bilipschitz distance, 95
- bilipschitz topology, 95
- Borromean family, 106

- Borromean rings, 106
- Borromean twisted sisters, 106
- boundary at infinity, 14
- boundary bigon, 125
- boundary compressible, 118
- boundary compression disk, 118
- boundary incompressible, 118
- boundary irreducible, 119
- boundary parallel, 117

- Cabling conjecture, 90
- canonical component, 204
- canonical decomposition, 132, 193
- canonical triangulation, 92
- Cauchy sequence, 24
- Chabauty topology, 97
- character variety, 204
 - canonical component, 204
- chart, 26
- circle at infinity, 14
- circle packing, 110
 - intersection graph, 110
- circle packing theorem, 110
- combinatorial area
 - disk, 124
 - surface, 124
- companion knot, 117
- complete, 24
- complete hyperbolic surface, 34
- complete structure, 39
- completeness equations, 54
- complex length, 86
- complexity of essential surface, 121
- compressible surface, 116
- compressing disk, 116
- cone angle, 84
- cone manifold, 84
- conjugate, 61
- connected sum, 176
- continued fraction, 156

- convergence
 - algebraic, 96
 - geometric convergence of groups, 97
 - in framed pointed bilipschitz topology, 96
 - in pointed bilipschitz topology, 95
 - in the refined Gromov–Hausdorff topology, 96
 - polyhedral, 96
- convexity equation, 169
- coordinate change map, 26
- cross ratio, 21
- crossing
 - negative, 156
 - positive, 156
- crossing arc, 4, 178
- crossing circle, 108
- cuspidal neighborhood, 52
 - maximal, 188
 - rank-1, 67
 - rank-2, 68
- cuspidal torus, 52
- cuspidal triangulation, 52

- degenerate tetrahedron, 47, 91
- Dehn filling, 83
 - exceptional, 89
 - fundamental theorem of Wallace and Lickorish, 84
 - trivial, 88
- Dehn filling coefficient, 86
- Dehn filling equation, 90
- Dehn filling space, 86
- denominator closure, 157
- developing map, 31
- diagram
 - prime, 110
- diffeomorphism
 - real analytic, 26
- dilogarithm function, 136
- discrete group, 62

- edge gluing equations, 49
- edge invariant, 47
- elementary group, 66
- elliptic, 19, 62
- equivalent representations, 203
- equivariant Ford domain, 191
- essential, 119
- essential meridional annulus, 177
- Euclidean structure, 26, 27
- Euler characteristic, 126

- exceptional Dehn filling, 89

- fiber bundle, 185
- fiber surface, 186
- first fundamental form, 12
- flat tetrahedron, 47, 91
- flute, 181
- Ford domain, 192
 - equivariant Ford domain, 191
- Ford–Voronoi domain, 187
- framed pointed bilipschitz topology, 96
- framing
 - of solid torus, 114
- free group action, 65
- Fuchsian group, 185
- full-sized horoball, 189
- fully augmented link, 108
 - reduced, 110

- geodesic, 14
- geometric convergence
 - of space, 96
- geometric ideal triangulation, 46
- geometric limit, 97
- geometric polygonal decomposition, 24
- geometric structure, 26
- geometric triangulations
 - exist virtually, 154
- gluing, 24
- gluing equations
 - edge equations, 49
- group action
 - free, 65
 - properly discontinuous, 65

- hairpin turn, 164
- hinge equation, 169
- hinge tetrahedron, 163
- holonomy, 32
- holonomy group, 32
- homotopically ∂ -incompressible, 128
- homotopically boundary incompressible, 128
- horoball, 18, 20
 - Adams, 189
 - full-sized, 189
- horocycle, 17
- horosphere, 20
- hyperbolic cone, 84
- hyperbolic cone manifold, 84
- hyperbolic Dehn filling space, 86
- hyperbolic structure, 27

- ideal octahedron

- regular, 104
- ideal polyhedron, 3
- ideal tetrahedron, 19
- ideal triangle, 17
- ideal vertex, 33
- incomplete 3-punctured sphere, 37
- incompressible surface, 116
- incompressible torus, 98
- injectivity radius, 71
- intersection graph, 110
- irreducible, 119
- irreducible affine algebraic set, 203
- irreducible components, 203
- isometric sphere, 191
- isometry, 14

- Jørgensen's theorem, 94

- Kleinian group, 62
- knot, 1
- knot complement, 2
- knot diagram, 2
- knot invariant, 2
- Koebe–Andreev–Thurston theorem, 110
- Kubert identities, 138
- Kubert identities for Lobachevsky function, 153

- leading–trailing deformation, 146
- length
 - slope, 129
- lens space, 88
- Lickorish, fundamental Dehn filling theorem, 84
- limit set, 68
- linear fractional transformation, 15
- link, 1
- link invariant, 2
- Lobachevsky function, 136
- longitude, 114, 198
 - standard, 85
 - standard, 198
- loop theorem, 133
- loxodromic, 19, 62

- Möbius transformation, 19
- Margulis constant, 71
- Margulis lemma, 72
- Margulis number for M , 71
- maximal cusp, 188
- meridian, 85, 114, 198
- morphism of affine algebraic sets, 202
- Mostow–Prasad rigidity, 81

- negative crossing, 156
- negatively oriented tetrahedron, 47, 91
- neighborhood
 - tubular, 115
- nonelementary group, 66
- normal
 - disk, 120
 - surface, 121
- normal form, 121
- nugatory crossing, 9
- numerator closure, 157

- orthoscheme, 140

- parabolic, 19, 62
- pleated surface, 113, 128
- pleating angle, 167
- pointed bilipschitz topology, 95
- polyhedral convergence, 96
- polyhedron, 3
- polynomial map, 202
- positive crossing, 156
- positively oriented tetrahedron, 47, 91
- prime, 176
 - diagram, 176
 - knot or link, 176
- prime diagram, 110
- projection plane, 2
- projective, 15
- proper embedding, 115
- properly discontinuous, 65

- quasifuchsian group, 185
- quasifuchsian surface, 185

- rank-1 cusp, 67
- rank-2 cusp, 68
- rational tangle, 155
- real analytic diffeomorphism, 26
- reduced fully augmented link, 110
- reducible, 90, 204
- reducible affine algebraic set, 203
- reducible Dehn filling, 90
- regular ideal octahedron, 104
 - volume, 105
- regular neighborhood, 115
- Riemannian metric, 12

- satellite knot, 117
- Schläfli's formula, 151
- shearing, 124
- singular locus, 84
- slope, 83, 129
- slope length, 129

- smooth category, 115
- SnapPea, 56
- SnapPy, 56
- standard longitude
 - Whitehead link, 114
- straightening edges and triangles, 128
- surger, 116, 122
- swallow–follow torus, 176

- tangle, 155
 - rational tangle, 155
- tetrahedron
 - degenerate, 47, 91
 - flat, 47, 91
 - negatively oriented, 47, 91
 - positively oriented, 47, 91
- thick part, 71
- thin part, 71
 - structure of thin part, 71
- topological ideal triangulation, 43
- topological polygonal decomposition, 24
- topology
 - Chabauty, 97
 - framed pointed bilipschitz, 96
 - pointed bilipschitz, 95
- torus knot, 118
 - $(2, q)$ -torus knot, 181
- trace, 61
- transformation
 - affine, 27
- transition map, 26
- transverse intersection, 115
- trichotomy of surfaces, 186
- trivial Dehn filling, 88
- tubular neighborhood, 115
- twist knot, 101
- twist region, 101
- twist-number, 181
- twist-reduced, 180

- valence, 9
- vertex triangle, 125
- vertical fundamental domain, 192
- virtual fiber, 186
- volume bound
 - lower bound from angle structures, 151
 - lower bound on Dehn filling, 94
 - upper bound on Dehn filling, 94
- volume form, 13
- volume functional, 145

- Wallace, fundamental Dehn filling theorem, 84
- Weil rigidity theorem, 153
- whitehead link, 102
- wild knot, 1
- Wirtinger presentation, 197
- Zariski topology, 202