

# The Philosophy of Computer Simulation

Kevin B Korb

Clayton School of Info Tech

Monash University

[kevin.korb@infotech.monash.edu.au](mailto:kevin.korb@infotech.monash.edu.au)

with help from

Steven Mascaro (Monash)

and Stephan Hartmann (Tilburg)

# The Scope and Limits of Computer Simulation

What are they?

# The Fundamental Property of Computation:

## Universality

All ordinary programming languages

- are Universal Turing Machines
- can be programmed to simulate *any* (computable) function

# Computer Simulation?

- Flight simulators
- Simulated sex
- Game simulations

# Computer Simulation?

- Flight simulators
- Simulated sex
- Game simulations
- Simulated economies
- Simulated chemistry
- Simulated biology
- Simulated physics
- etc.

# Computer Simulation?

- Flight simulators
- Simulated sex
- Game simulations
- Simulated economies
- Simulated chemistry
- Simulated biology
- Simulated physics
- etc.

Only the simulated . . . ologies are of interest here . . .

Is there a serious science without simulation studies today?

# Simulation

A common definition —

*Simulation:* The use of a computer to solve an equation that we cannot solve analytically.


– e.g., Humphreys (1991), Frigg & Reiss (2007)

This includes both too much and too little.

# Simulation

Too much:


- Monte Carlo integration:



# Simulation

Too much:

- Monte Carlo integration:



and numerical quadrature?

... and so also all numerical computation!

- Also, simulated sex.

# Simulation

Too little:

- Analysable simulation: If an equation/process becomes analysable, it is no longer simulable?
  - This is absurdly subjective.
- Non-equation oriented simulation: ALife often has target processes without target equations

Simulation should instead be defined in terms of methodological role...

# Simulation

A better definition —

*Simulation:* A process which mimics the relevant features of a target process.

– Hartmann (1996)

This definition corresponds to actual practice:

- ALife simulation
- Allows for the “experimental side” of simulation: meaningful interventions

# Bold Simulation

Simulation surge  $\Rightarrow$  philosophy of simulation surge

Especially, bold philosophy of simulation:

1. Winsberg: Simulation is a new scientific method, requiring a new epistemology
2. Di Paolo et al (2000), Bedau (1999): Simulations are super thought experiments
3. Oreskes et al (1994): Simulation studies have no empirical content

## **The Fundamental Question of Simulation:**

Is simulation an empirical method or not?

# Simulation Definition II

$S$  is a **Simulation** of  $P$  if and only if

1.  $P$  is a physical process or process type
2.  $S$  is a physical process or process type
3.  $S$  and  $P$  are both correctly described by a dynamic theory  $T$  containing (for  $S$ ; parenthetically described for  $P$ ):
  - an ontology of objects  $O_S$  ( $O_P$ ) and types of objects  $\Psi_i(x)$  ( $\Phi_i(x)$ )
  - relations between objects  $\Psi_i(x_1, \dots, x_n)$  ( $\Phi_i(x_1, \dots, x_n)$ )  $\Rightarrow$  hence, states of the system,  $s$

# Simulation Definition II

3. (cont'd)

- dynamical laws of development (possibly stochastic):  $f_S(s) = s'$  ( $f_P(s) = s'$ )

I.e.,  $P$  and  $S$  have a true common theory.

$S$  is a **Computer Simulation** iff it is a simulation and a computer process.

# Symmetry

Note the symmetry of my definition:

We could just as well use the sun to simulate our  
astrophysical programs

as use our programs to simulate the sun

What stops us?

# Symmetry

Note the symmetry of my definition:

We could just as well use the sun to simulate our  
astrophysical programs

as use our programs to simulate the sun

What stops us? Ronald Giere's (Borge's) map metaphor:

- Suppose we had a gigantic 3-dimensional map of the earth, just as big as the earth!
- Then we could measure distances, etc with perfect accuracy!!

# Homomorphism

So, we require that our simulations *not* be as detailed as the processes we simulate, both for theoretical and for practical reasons. Instead:

There should exist a **homomorphism**  $h$  from  $P$  to  $S$

# Homomorphism

A **homomorphism**  $h$  from  $P$  to  $S$ : a mapping  $h : P \rightarrow S$  such that


1. For every object  $x \in O_P$ ,  $h(x) \in O_S$ .
2. For every relation  $\Phi$ ,  $\Phi(x_1, \dots, x_n)$  is true of  $P$  iff  $h(\Phi) = \Psi$  and  $\Psi(h(x_1), \dots, h(x_n))$  is true of  $S$
3. For every state transition function  $f$  in  $P$ ,  $f(s) = s'$  iff  $f_h(h(s)) = h(s')$   
(or, adjusted, for stochastic laws)

(NB: This is an ideal!)

# Validation

How do we know when a simulation is adequate?

“*Validation*”: We can validate (test) a simulation  $S$  for adequacy against a system  $P$ , given a mapping  $h : P \rightarrow S$  by testing whether  $h$  is a homomorphism:



# Homomorphism


The existence of a(n approximate) homomorphism is *crucial*

it underwrites the relevance of the simulation for the system being simulated.

The level of resolution of the homomorphism (simulation) depends upon two major points:

- How well do we (think we) understand  $P$ ? How detailed a theory do we have to test?
- Pragmatic constraints upon our simulation (e.g., how much time can we spend waiting).

# Shrek's Theory of His Simulation



# Computer Simulation?

What supervenience is not:

- Reduction

What supervenience is:

- Multiple Realizability
- Instantiation
- Emergence

# Computer Simulation?

What supervenience is not:

- Reduction

What supervenience is:

- Multiple Realizability
- Instantiation
- Emergence

Candidate examples:

- Minds: humans, Martians, robots
- Life: Earth biology, exobiology, virtual biology
- Global warming: Venus, Earth, Hell

# Simulation as Thought Experiment

Di Paolo et al (2000) and Bedau (1999):

- Thought experiments can *draw out* implications of a theory, revealing
  - contradictions
  - possibilities

Simulation as thought experiment implies:

Simulation is purely deductive, non-empirical,  
exploration of theoretical consequences

See also Oreskes et al (1994) and many others.

# Simulation as Substitution for Thought Experiment

Di Paolo et al

- Thought experiments are transparent  
They gain their power from their pellucidity
- Simulations are opaque

We use simulations when thought experimentation is inaccessible

since the outcome is inaccessible, this has the flavor of experimentation, potential for surprise

# Thought Experiments as Opaque

What are Thought Experiments?

Examples:

- Maxwell's Demon
- Einstein-Podolsky-Rosen Paradox
- Frank Jackson's Knowledge Argument
- Ned Block's Chinese Brain

Dennett's Response:

Thought experiments are figments of the imagination!

# Simulation as Thought Experiment

So, perhaps this thesis really means:  
simulations are idle!

But

- the evidence of widespread utility of simulation means something

# Epistemology of Simulation

Two acknowledged steps:

**Verification:** Determine whether the sim correctly implements the theory being investigated.


- Design verification, debugging, consistency checks

**Validation (Confirmation):** Determine whether the sim as implemented conforms to the target

- Set initial conditions; run the sim; generate novel predictions; compare with reality

# Epistemology of Simulation

Epistemology of simulation = epistemology of experiment



# The Failure of Simulation

There are many places where this confirmation process can break down. E.g.,

- Debugging
- Wrong initial conditions
- Wrong theory implemented
- Inaccessible predictions: if we can only retrodict, can we trust our sim?

The first three lead to disconfirmation; the last to distrust

# The Failure of Real Experiment

There are analogues to each of these failures in real-world experimentation:

- Debugging/wrong initial conditions: Lead to incorrect prediction
- Wrong theory: Leads to incorrect prediction
- Inaccessible predictions: if we can only retrodict can we trust our theory?
  - Not if our theory is manufactured to fit the existing data

# The Failure of Real Experiment

But at least when you're testing the real-world you know what you're testing is *real!* You can't be testing the wrong thing!

# The Failure of Real Experiment

But at least when you're testing the real-world you know what you're testing is *real!* You can't be testing the wrong thing! *Wrong.*

Real experimentation *is* simulation:

- Rat simulates human
- Subpop simulates target pop
- Observed/prodded phenomenon simulates unobserved

⇒ These go wrong the same ways as computer simulation!

# Early Theory Testing

Given

- A phenomenon of interest
- Competing potential explanations
- Lack of data/experimental options for testing

Simulation can

- Find a range conditions needed to realize each theory
- Subsequent research can test for such conditions

A kind of “proof of concept”

generating also criteria for confirmation

# An Example Simulation

The Evolution of Aging (with O Woodberry & A Nicholson)

Weismann (1889): aging is adaptive via group selection

aging releases resources to the young, making the group more viable

⇒ Response: Group selection is mysterious, given individual fitness as the driver of evolution.

# Evolution of Aging

Non-adaptive theories of aging evolution:

- Medawar (1952): mutation accumulation.
- Williams (1957): antagonistic pleiotropy.


Experiment has undermined these theories in the meantime

- Experimental increase in longevity in flies comes with a fitness reward, not cost (Leroi et al, 1994)
- Caloric restriction reduces aging rate, with no fitness cost (Weindruch and Walford, 1986)

# Group Selection

Group selection (of altruism) has been vindicated since Weismann, at least as a live possibility.

- Maynard Smith (1976) laid out conditions for it to occur: expected number of seeding migrations out of selfish groups must be less than 1



# Group Selection

Price (1970) and Hamilton (1975) analyse this in terms of

- Positive associations between group fitness and the trait being selected
- Group benefit must outweigh individual harm of altruistic gene

# An Example Simulation

- Group selection occurs more readily given within-group kin selection (Woodberry et al, 2005)
  - Kin selection provides a mechanism for altruism to evolve, stabilize within groups.
  - When kin selection was turned off in a replication of Mitteldorf's (2004) group selection simulation, group selection fell over.
  - Kin selection and group selection are not antagonistic. (Cf. Multilevel Selection Theory, Foster et al, 2005)


# An Example Simulation

Our simulation is an evolutionary ALife simulation with (Woodberry et al, 2007)


- Host population: aging rate; vulnerability string
  - In semi-isolated reproductive groups
- Disease population:
  - transmit probabilistically by close matches to neighbors' vulnerability strings
  - reproduce using host energy

# An Example Simulation

Result: aging rate evolution, as a defence against disease.



# An Example Simulation



- Intra-group aging rates evolve via kin selection
- Groups with higher turnover have higher diversity, greater health, lower extinction rates

A partial vindication of Weismann

# A Possible Simulation

The complete neurophysiology of some human...

# Conclusion

Certainly, running a simulation is not the same thing as running a real-world experiment.

- Confirmation requires actually looking at the real world.
  - Checking for matching initial conditions
  - Checking for matching outcomes

This is the very same kind of supplementation that predictive use of theories require.

# Conclusion

There is this asymmetry:

- Simulation without the real world (without confirmation) is pointless
- Experimentation without simulation has been pointed for hundreds of years already

Still,

There is nothing new here under the epistemological sun; there is plenty that is new methodologically, however.

# References

- M. Bedau (1999). Can unrealistic computer models illuminate theoretical biology? *Genetic and Evolutionary Computation Conference*.
- E. Di Paolo, J. Noble, S. Bullock (2000). Simulation models as opaque thought experiments. *ALife VII*.
- K Foster, T Wenseleers and F Ratnieks (2005). Kin selection is the key to altruism. *Trends in Ecology and Evolution*, 21, 57-60.
- R. Frigg and J. Reiss (2007). A critical look at the philosophy of simulation. Unpublished MS.

# References

- W.D. Hamilton (1975). Innate social aptitudes of man. In R. Fox (Ed.) *Biosocial anthropology*, pp. 133-55. NY: Wiley.
- S. Hartmann (1996). The world as a process. In R Heselmann, U Müller and K Troitzsch (eds), *Modelling and simulation in the social sciences from the phil of sci point of view*. Kluwer, 77-100.
- P. Humphreys (1991). Computer simulations. *PSA 1990*, 497-506.
- A.M. Leroi, A.K. Chipindale, M.R. Rose (1994). Long-term laboratory evolution of a genetic life-history trade-off in *drosophila melanogaster*. *Evolution*, 48, 1244-57.

# References

- J. Maynard Smith (1976). Group selection. *Quarterly Review of Biology*, 51, 277-83.
- P.B. Medawar (1952) *An unsolved problem in biology*. London: Lewis.
- S. Norton, F. Suppe (2001). Why atmospheric modeling is good science. in Miller and Edwards (eds), *Changing the Atmosphere*, MIT.
- N. Oreskes, K. Shrader-Frechette, K. Belitz (1994). Verification, validation and confirmation of numerical models in the earth sciences. *Science*, 263, 642-46.

# References

- J. Mitteldorf (2004). Chaotic population dynamics and the evolution of aging. *ALIFE IX*, 346-52.
- G.R. Price (1970). Selection and covariance. *Nature*, 227, 520-1.
- R. Weindruch and R. Walford (1986). *The retardation of aging and disease by dietary restriction*. Springfield, IL: Thomas.
- A. Weismann (1889). *Essays upon heredity and kindred biological problems*. Oxford: Clarendon.
- G. Williams (1957). Pleiotrophy, natural selection and the evolution of senescence. *Evolution*, 11, 398-411.

# References

- O. Woodberry, K. Korb, A. Nicholson (2005) The evolution of aging. *2nd Australian Conference on Artificial Life*.
- O. Woodberry, K. Korb, A. Nicholson (2007) A simulation study of the evolution of aging. *Evolutionary Ecology Research*, under submission.